



Short pitch conveyor chain attachments



A-1



K-1



DIN/ISO Chain No.	ANSI Chain No.	P	G	F	W	T	h ₄	d ₄
		mm	mm	mm	mm	mm	mm	mm
04C	25	6.350	5.6	13.80	23.2	0.80	4.30	3.4
06C	35	9.525	7.9	19.00	28.6	1.30	6.35	3.4
08A	40	12.700	9.5	25.40	35.2	1.50	7.90	3.4
085	41	12.700	9.5	24.00	33.4	1.30	6.90	3.6
10A	50	15.875	12.7	31.75	46.2	2.03	10.30	5.5
12A	60	19.050	15.9	38.10	55.6	2.42	11.90	5.5
16A	80	25.400	19.1	50.80	64.8	3.25	15.90	6.8
20A	100	31.750	25.4	63.50	89.8	4.00	19.80	9.2
24A	120	38.100	28.6	76.20	108.5	4.80	23.00	9.8
28A	140	44.450	34.9	88.90	123.0	5.60	28.60	11.4
32A	160	50.800	38.1	101.60	142.8	6.40	31.75	13.1
40A	200	63.500	50.8	127.00	179.0	8.00	42.88	16.3
*06B		9.525	8.0	19.04	27.0	1.30	6.50	3.5
08B		12.700	9.5	25.40	36.4	1.60	8.90	4.5
10B		15.875	14.3	31.75	44.6	1.70	10.31	5.3
12B		19.050	16.0	38.10	52.4	1.85	13.46	6.4
16B		25.400	19.1	50.80	72.6	3.10	15.88	6.4
20B		31.750	35.0	63.50	100.5	3.50	19.80	9.0
24B		38.100	30.0	76.20	108.4	4.80	26.67	10.5
28B		44.450	35.0	88.90	123.0	6.00	28.58	13.1
32B		50.800	38.1	101.60	142.8	6.00	31.75	13.1

*Straight side plates



Short pitch conveyor chain attachments



SA-1/M1(one side)





SK-1/M1(both sides)



DIN/ISO Chain No.	ANSI Chain No.	P	G	C	F	T	d4
		mm	mm	mm	mm	mm	mm
04C	25	6.350	5.6	7.95	11.70	0.80	3.4
06C	35	9.525	7.9	9.50	14.55	1.30	3.4
08A	40	12.700	9.5	12.70	19.05	1.50	3.4
085	41	12.700	9.5	11.85	16.55	1.30	3.6
10A	50	15.875	12.7	15.90	25.25	2.03	5.5
12A	60	19.050	15.9	18.30	29.33	2.42	5.5
16A	80	25.400	19.1	24.60	34.70	3.25	6.8
20A	100	31.750	25.4	31.80	43.30	4.00	9.2
24A	120	38.100	28.6	36.50	51.60	4.80	9.8
28A	140	44.450	34.9	44.50	62.00	5.60	11.4
32A	160	50.800	38.1	50.80	69.85	6.40	13.1
40A	200	63.500	50.8	63.50	88.90	8.00	16.3
*06B		9.525	8.0	9.52	13.50	1.30	3.5
08B		12.700	9.5	13.35	18.90	1.60	4.3
10B		15.875	14.3	16.50	22.95	1.70	5.3
12B		19.050	16.0	21.45	28.60	1.85	6.4
16B		25.400	19.1	23.15	34.00	3.10	6.4
20B		31.750	35.0	30.50	45.70	3.50	9.0
24B		38.100	36.0	36.00	61.50	4.80	10.5

*Straight side plates




Short pitch conveyor chain attachments



DIN/ISO Chain No.	ANSI Chain No.	P	G	L	F	W	T	h ₄	d ₄
		mm	mm	mm	mm	mm	mm	mm	mm
04C	25	6.350	11.41	6.350	13.80	23.2	0.80	4.30	3.40
06C	35	9.525	17.32	9.525	19.00	28.6	1.30	6.35	2.80
08A	40	12.700	23.00	12.700	25.40	35.6	1.50	7.90	3.40
085	41	12.700	22.30	12.700	24.00	35.0	1.30	7.20	4.85
10A	50	15.875	28.80	15.875	31.75	46.8	2.03	10.30	5.50
12A	60	19.050	34.65	19.050	38.10	56.4	2.42	11.90	5.50
16A	80	25.400	45.90	25.400	50.80	73.2	3.25	15.90	6.80
20A	100	31.750	57.65	31.750	63.50	89.8	4.00	19.80	9.20
24A	120	38.100	69.30	38.100	76.20	108.8	4.80	23.00	9.80
28A	140	44.450	80.45	44.450	88.90	123.0	5.60	28.60	11.40
32A	160	50.800	92.00	50.800	101.60	142.8	6.40	31.75	13.10
40A	200	63.500	115.50	63.500	127.00	179.0	8.00	42.88	16.30
*06B		9.525	17.72	9.525	19.04	27.0	1.30	6.50	3.50
08B		12.700	24.00	12.700	25.40	36.4	1.60	8.90	4.30
10B		15.875	29.58	15.875	31.80	44.6	1.70	10.31	5.30
12B		19.050	34.05	19.050	38.10	52.4	1.85	13.46	6.40
16B		25.400	46.40	25.400	50.80	72.6	3.10	15.88	6.40
20B		31.750	58.10	31.750	63.00	100.5	3.50	19.80	9.00
24B		38.100	71.30	38.100	76.20	108.4	4.80	26.67	10.50
28B		44.450	81.10	44.450	88.90	123.0	6.00	28.58	13.10
32B		50.800	92.80	50.800	101.60	142.8	6.00	31.75	13.10

*Straight side plates



Short pitch conveyor chain attachments



DIN/ISO Chain No.	ANSI Chain No.	P	G	L	C	F	T	d4
		mm	mm	mm	mm	mm	mm	mm
04C	25	6.350	11.41	6.350	7.95	11.70	0.80	3.4
06C	35	9.525	17.32	9.525	9.50	14.55	1.30	2.8
08A	40	12.700	23.00	12.700	12.70	17.40	1.50	3.4
085	41	12.700	21.20	12.700	11.85	16.55	1.30	3.6
10A	50	15.875	28.80	15.875	15.90	23.05	2.03	5.5
12A	60	19.050	34.65	19.050	18.30	26.86	2.42	5.5
16A	80	25.400	45.90	25.400	24.60	35.45	3.25	6.8
20A	100	31.750	57.65	31.750	31.80	44.00	4.00	9.2
24A	120	38.100	69.30	38.100	36.50	51.60	4.80	9.8
28A	140	44.450	80.45	44.450	44.50	62.00	5.60	11.4
32A	160	50.800	92.00	50.800	50.80	69.85	6.40	13.1
40A	200	63.500	115.5	63.500	63.50	88.90	8.00	16.3
*06B		9.525	17.72	9.525	9.52	13.50	1.30	3.5
08B		12.700	23.30	12.700	13.35	18.90	1.60	4.3
10B		15.875	29.58	15.875	16.50	22.95	1.70	5.3
12B		19.050	34.05	19.050	21.45	28.60	1.85	6.4
16B		25.400	46.40	25.400	23.15	34.00	3.10	6.4
20B		31.750	58.10	31.750	30.50	45.70	3.50	9.0
24B		38.100	71.30	38.100	42.70	61.50	4.80	10.5

*Straight side plates



Short pitch conveyor chain attachments



Donghua Chain No.	P mm	G mm	F mm	W mm	T mm	h4 mm	d4 mm
04CA1F2	6.350	6.00	22.20	29.00	0.80	2.50	2.00
25K1F1	6.350	5.60	14.27	21.38	0.80	4.75	3.40
*06BK1F3	9.525	8.00	18.81	26.81	1.15	6.50	3.50
*C08AA1F1	12.700	10.00	25.40	33.40	1.50	9.10	3.40
08AA1F1	12.700	9.50	38.50	44.50	1.50	8.20	3.60
08AA1F10	12.700	9.60	28.00	36.20	1.50	8.50	3.20
08AA1F12	12.700	9.50	25.40	35.20	1.50	7.90	3.20
08AA1F2	12.700	9.50	25.40	35.20	1.50	7.90	4.85
08AA1F3	12.700	15.88	25.40	35.60	1.50	8.00	4.95
08AA1F6	12.700	9.50	25.40	35.20	1.50	7.90	5.00
08AA1F7	12.700	18.00	37.00	52.00	1.50	8.00	5.20
08AA1F9	12.700	9.60	55.40	62.50	1.50	7.50	4.20
08AK1F2	12.700	9.50	25.40	35.20	1.50	7.90	4.85
08AK1F4	12.700	9.50	25.39	35.19	1.50	7.90	5.50
08BA1F11	12.700	11.00	25.40	36.40	1.60	8.90	4.30
08BA1F16	12.700	12.30	27.80	42.80	1.60	21.00	5.20
08BA1F18	12.700	9.50	28.30	37.00	1.60	8.00	4.30
08BA1F2	12.700	11.40	38.60	49.60	1.60	8.90	3.50
08BA1F20	12.700	12.60	22.95	33.95	1.60	10.20	5.00
08BA1F28	12.700	9.50	25.40	34.52	1.60	9.95	4.00
08BA1F30	12.700	11.00	26.23	35.43	1.60	9.00	4.50
08BA1F33	12.700	10.00	30.40	38.80	1.60	8.20	3.10
08BA1F34	12.700	9.60	36.40	48.00	1.60	9.60	3.20
08BA1F39	12.700	9.50	36.40	44.00	1.60	9.50	3.20
08BA1F40	12.700	9.50	26.60	34.20	1.60	8.50	3.20
08BA1F41	12.700	12.50	35.00	43.00	1.60	9.00	3.70
08BA1F6	12.700	18.00	25.80	37.80	1.60	8.00	4.20
08BA1F8	12.700	11.20	21.85	32.85	2.50	8.90	4.30
08BA3F1	12.700	22.70	33.20	46.90	1.60	7.80	2.9/6.7
08BF30	12.700	18.00	27.20	40.00	1.60	8.00	4.30
08BK1F10	12.700	11.00	27.77	38.77	1.55	8.75	4.30
08BK1F14	12.700	11.00	25.57	36.57	1.60	8.90	6.50
08BK1F15	12.700	17.90	27.60	39.60	1.60	8.00	7.10
08BK1F26	12.700	11.00	26.50	36.00	1.60	8.80	4.40

*Straight side plates



Short pitch conveyor chain attachments



Donghua Chain No.	P	G	F	W	T	h4	d4
	mm	mm	mm	mm	mm	mm	mm
08BK1F29	12.700	12.50	26.20	38.00	1.60	10.00	4.50
08BK1F35	12.700	9.50	25.33	35.03	1.60	8.90	M3
08BK1F43	12.700	9.50	28.20	37.20	1.60	8.40	4.30
08BK1F44	12.700	11.50	26.00	36.00	1.60	8.50	4.20
08BK1F5	12.700	9.50	29.00	38.70	1.60	7.10	4.50
08BK1F7	12.700	9.50	29.00	39.00	1.60	7.00	4.50
08BK1F9	12.700	9.50	25.40	36.40	1.60	8.90	M4
08BF33	12.700	9.50	27.74	38.80	1.60	8.50	3.10
10AA1F10	15.875	12.70	31.80	46.20	2.03	10.30	M5
10AA1F11	15.875	12.70	31.80	46.20	2.03	25.30	5.50
10AHK1F1	15.875	12.70	34.00	48.40	2.42	10.30	M5
10AK1F3	15.875	14.29	31.75	46.20	2.03	10.30	5.50
10AK1F5	15.875	20.00	39.00	50.10	2.03	12.50	M5
10AK1F7	15.875	12.70	31.80	46.20	2.03	10.30	M6
10AK1F8	15.875	12.70	31.80	46.20	2.03	10.30	6.50
10AK1F9	15.875	20.00	38.97	50.07	2.03	12.50	5.50
10BA0F2	15.875	14.00	-	49.41	1.70	10.30	-
10BA0F3	15.875	14.00	-	46.51	1.70	10.40	-
10BA1F11	15.875	15.00	31.80	49.60	1.70	10.30	M5
10BA1F13	15.875	14.10	30.81	48.01	1.70	10.50	M5
10BA1F14	15.875	14.30	31.76	44.60	1.70	10.31	6.40
10BF11	15.875	14.00	-	51.81	1.70	10.40	-
10BK0F4	15.875	14.00	-	45.81	1.70	10.30	-
10BK1F12	15.875	13.00	32.41	50.11	1.70	11.00	6.00
10BK1F2	15.875	13.00	32.40	45.20	1.70	11.00	6.00
10BK1F3	15.875	13.00	32.41	51.11	1.70	10.50	6.00
10BK1F4	15.875	17.50	30.41	47.41	1.70	11.50	6.00
10BK1F5	15.875	13.00	29.41	42.21	1.70	10.00	5.50
10BK1F6	15.875	12.70	30.00	47.00	1.70	10.20	5.30
10BK1F7	15.875	14.00	31.50	49.60	1.70	10.30	5.50
10BK1F8	15.875	14.00	31.41	48.31	1.70	10.50	5.30
*C10BK0F1	15.875	13.00	-	35.00	1.70	10.30	-
12AA1F10	19.050	15.90	38.10	55.60	2.42	11.90	7.00
12AA1F7	19.050	15.90	38.10	55.50	2.42	11.90	6.00

*Straight side plates



Short pitch conveyor chain attachments



Donghua Chain No.	P	G	F	W	T	h ₄	d ₄
	mm	mm	mm	mm	mm	mm	mm
12AK1F1	19.05	15.90	40.00	55.60	2.42	11.90	6.20
12AK1F4	19.05	15.90	38.10	55.50	2.42	11.90	M5
12AK1F7	19.05	15.90	38.10	55.60	2.42	11.90	6.00
12AK1F8	19.05	15.90	40.00	55.60	2.42	11.90	6.80
12BA0F1	19.05	36.10	-	56.75	1.85	12.00	-
12BA0F3	19.05	33.60	-	56.80	1.85	11.50	-
12BA1F1	19.05	16.00	38.10	52.40	1.85	13.46	8.20
12BA1F12	19.05	18.00	35.20	52.70	1.85	12.20	6.40
12BA1F18	19.05	24.00	35.45	51.75	1.85	12.00	6.60
12BA1F23	19.05	18.00	36.00	56.60	1.85	11.00	M6
12BFK1	19.05	16.50	40.00	54.80	1.85	12.00	6.60
12BK1F10	19.05	20.50	40.00	54.50	1.85	12.00	8.50
12BK1F11	19.05	16.00	38.15	52.55	1.85	13.46	10.00
12BK1F13	19.05	16.00	40.00	60.00	2.03	11.90	6.50
12BK1F15	19.05	18.00	37.00	54.60	1.85	12.20	6.40
12BK1F17	19.05	16.00	35.64	55.24	1.85	11.90	6.70
12BK1F19	19.05	18.00	36.00	55.40	1.85	12.00	6.60
12BK1F20	19.05	16.00	35.20	51.40	1.85	12.00	7.60
12BK1F24	19.05	18.50	37.20	58.00	1.85	11.00	M6
12BK1F4	19.05	16.00	38.10	52.40	1.85	13.46	6.40
12BK1F5	19.05	18.00	35.44	54.05	1.80	11.60	6.40
12BK1F6	19.05	16.00	35.00	52.40	1.85	13.46	6.40
12BK1F8	19.05	18.00	35.20	50.40	1.85	12.20	6.40
12BK1F9	19.05	16.00	24.80	39.00	1.85	13.46	6.40
*C12BA1F26	19.05	16.00	37.60	56.00	1.85	13.50	7.20
16AA1F12	25.40	19.10	44.00	64.80	3.25	15.90	6.00
16AA1F4	25.40	19.10	50.80	64.80	3.25	15.90	6.00
16AHA1F1	25.40	36.50	52.80	85.80	4.00	15.90	8.90
16AK1F10	25.40	19.10	50.80	64.80	3.25	15.90	10.00
16AK1F3	25.40	30.00	56.30	82.40	3.25	16.00	6.50
16AK1F5	25.40	25.40	44.00	56.00	3.25	15.90	6.00
16AK1F6	25.40	24.00	44.00	56.00	3.25	15.90	6.00
16AK1F8	25.40	25.00	57.80	74.90	3.25	14.50	6.80
16BA1F7	25.40	24.00	58.00	75.60	3.10	18.00	9.00

*Straight side plates


Short pitch conveyor chain attachments



Donghua Chain No.	P mm	G mm	F mm	W mm	T mm	h4 mm	d4 mm
16BK1F10	25.40	24.00	53.58	77.580	3.00	16.30	8.20
16BK1F11	25.40	26.00	58.00	74.600	4.00	18.00	9.00
16BK1F13	25.40	25.00	58.00	84.400	3.10	18.00	9.00
16BK1F15	25.40	25.00	68.00	130.000	3.10	17.00	9.10
16BK1F16	25.40	23.80	58.00	83.800	1.85	17.00	8.40
16BK1F17	25.40	25.00	50.80	70.200	4.15	20.20	9.10
16BK1F19	25.40	24.00	57.15	75.000	4.15	18.00	9.00
16BK1F3	25.40	19.10	50.80	72.600	3.10	15.88	8.20
16BK1F34	25.40	25.40	50.80	72.100	3.10	15.88	M6
16BK1F4	25.40	36.00	54.00	78.600	3.10	16.00	8.20
16BK1F41	25.40	24.00	57.62	75.620	3.10	20.20	8.40
16BK1F42	25.40	24.00	57.72	75.720	3.10	16.50	9.00
16BK1F43	25.40	24.00	58.00	75.600	3.10	18.00	10.00
16BK1F5	25.40	25.00	57.80	83.600	3.10	19.00	9.00
*C16BK1F40	25.40	36.00	54.02	78.620	3.10	16.00	8.20
20AHK1F1	31.75	25.40	61.08	87.675	4.80	19.81	10.30
20AK1F2	31.75	25.40	53.25	77.150	6.00	19.84	8.20
20AK1F3	31.75	25.40	63.50	87.300	4.00	19.80	8.70
20AK1F4	31.75	25.40	63.50	89.800	4.00	19.80	8.20
20AK1F5	31.75	26.00	68.00	88.000	4.00	23.50	11X8.6
20BA1F6	31.75	35.00	63.50	100.500	3.50	19.80	11.00
20BK1F2	31.75	26.00	68.00	88.000	4.50	23.50	9.60
20BK1F4	31.75	25.40	63.50	100.500	3.50	19.80	9.00
20BK1F5	31.75	35.00	65.00	94.200	3.50	19.80	12.50
20BK1F7	31.75	35.00	70.00	100.500	3.50	22.00	8.50
24AA1F1	38.10	28.60	76.20	111.600	4.80	23.80	9.80
24AA1F3	38.10	45.00	110.00	138.000	10.00	30.00	14.00
24AK1F4	38.10	28.60	88.90	108.800	4.80	23.00	12.00
24AK1F6	38.10	45.00	100.00	128.000	8.00	30.00	12.00
24AK1F7	38.10	30.00	77.00	101.600	4.80	30.00	11.00
28BK1F2	44.45	55.00	120.00	148.000	10.00	30.00	14.00
28BK1F3	44.45	74.00	108.00	155.000	6.00	32.00	13.00
28BK1F4	44.45	35.00	107.00	158.000	6.00	32.00	14.00

*Straight side plates


Short pitch conveyor chain attachments



Donghua Chain No.	P	G	C	F	T	d4
	mm	mm	mm	mm	mm	mm
05BSK1F2	8.000	8.00	7.50	11.50	0.80	3.00
05BSA1F1	8.000	8.00	8.00	11.50	0.80	3.10
35SK1F1	9.525	7.90	9.50	14.55	1.30	4.00
*06BSK1F2	9.525	8.00	9.50	13.50	1.15	3.50
08ASA1F3	12.700	9.60	12.70	17.30	1.50	3.60
08BSA1F1	12.700	18.00	15.00	21.50	1.60	6.30
08BSA1F8	12.700	12.50	14.70	20.30	1.60	4.50
08BSA1F9	12.700	12.50	14.70	20.30	1.60	4.50
08BSK1F2	12.700	11.00	13.40	18.90	1.60	4.30
08BSK1F3	12.700	11.00	14.10	19.50	1.55	4.30
08BSK1F4	12.700	11.00	13.35	18.90	1.60	6.50
08BSK1F5	12.700	9.50	13.35	18.90	1.60	6.30
08BSK1F6	12.700	11.00	14.30	19.30	1.60	4.30
08BSK1F7	12.700	11.00	13.00	20.80	1.60	4.45
08BSK1F12	12.700	12.50	14.70	20.30	1.60	5.00
08BSK0F4	12.700	11.00	-	45.00	1.60	-
08BSK0F7	12.700	10.00	-	23.80	1.60	-
10ASA0F2	15.875	28.50	-	93.00	2.03	-
10ASK1F1	15.875	20.00	15.68	22.88	2.03	8.50
10ASK1F3	15.875	12.70	15.25	23.60	2.03	5.30
10ASK1F6	15.875	12.70	15.90	25.25	2.03	6.10
10BSA1F3	15.875	24.00	16.00	24.20	1.70	5.10
10BSA0F1	15.875	8.22	-	29.52	1.70	-
12ASA1F4	19.050	15.90	18.30	29.33	2.42	8.50
12ASK1F1	19.050	15.90	18.30	29.33	2.42	6.10

*Straight side plates



Short pitch conveyor chain attachments



Donghua Chain No.	P	G	C	F	T	d4
	mm	mm	mm	mm	mm	mm
12BSK0F1	19.050	15.00	-	26.50	1.85	-
12BSK1F1	19.050	18.00	18.20	28.10	1.80	6.40
12BSK1F2	19.050	18.00	18.30	26.10	1.85	6.20
12BSA1F3	19.050	17.00	16.00	26.60	1.85	8.00
16ASAF1	25.400	19.10	-	34.70	3.25	-
16ASAF2	25.400	19.10	-	34.70	3.25	-
*C16BSK0F1	25.400	25.00	-	25.00	4.15	-
*C16BSK0F3	25.400	23.94	-	22.20	3.10	-
*C16BSK0F4	25.400	46.90	-	20.50	3.10	-
16AWSK1F3	25.400	45.90	16.00	34.40	3.25	14.52
16BSK1F2	25.400	24.00	25.40	37.40	3.00	8.20
16BSK1F3	25.400	19.10	23.15	34.00	3.10	9.00
16BSA1F6	25.400	25.40	27.30	36.00	3.10	8.40
16BSK1F7	25.400	19.10	23.15	34.00	3.10	8.00
16BSK1F8	25.400	24.00	31.00	41.00	3.10	10.00
20BSK1F1	31.750	25.40	30.50	45.70	3.50	9.00
24BSK1F1	38.100	30.00	42.65	61.70	4.80	10.50
24BSK1F2	38.100	36.00	43.20	61.50	4.80	20.3/11.6
32BSK1F1	50.800	50.80	53.50	77.00	7.00	14.00
40BSK1F1	63.500	56.00	48.00	68.00	8.50	16.20

*Straight side plates


Short pitch conveyor chain attachments



Donghua Chain No.	P	G	L	F	W	T	h4	d4
	mm	mm	mm	mm	mm	mm	mm	mm
*06BWK2F1	9.525	17.70	9.525	19.05	28.50	1.30	6.70	4.10
08AWK1F2	12.700	23.00	-	25.40	35.60	1.50	7.90	M5
08AWA2F2	12.700	23.00	12.700	25.40	35.60	1.50	7.90	3.60
08BWA2F4	12.700	24.00	12.700	25.40	36.40	1.60	8.90	4.30
08BWA1F1	12.700	23.30	-	27.40	38.80	1.60	8.00	4.30
08BA1F45	12.700	18.00	-	27.60	39.60	1.60	8.00	4.30
08BWK1F12	12.700	23.30	-	25.40	35.10	1.60	8.90	M5
08BWK1F11	12.700	23.30	-	25.40	35.20	1.60	8.90	5.00
10AWK1F1	15.875	28.80	-	32.00	46.80	2.03	10.30	8.20
10A(W)A2F1	15.875	24.10	15.875	33.60	43.20	2.03	8.20	3.50
10AWA1F2	15.875	28.80	-	32.40	42.20	2.03	10.30	5.20
08BWA1F6	12.700	24.00	-	25.40	38.80	1.60	8.90	6.60
08BWK1F10	12.700	24.00	-	62.83	75.43	2.00	10.00	5.00
08BWA2F6	12.700	25.00	12.500	26.00	35.60	1.60	8.90	4.50
08BWK2F2	12.700	23.20	12.700	28.40	42.60	3.00	8.50	5.40
08BWK2F3	12.700	23.20	12.700	32.00	43.60	1.60	10.00	4.50
08BWK2F4	12.700	24.00	12.700	25.40	36.40	1.60	8.90	4.30
08BWK2F5	12.700	24.20	12.700	23.95	34.95	1.55	8.75	4.30
08BWA2F25	12.700	24.50	12.700	25.40	35.20	1.60	8.90	4.50
08BWK2F27	12.700	24.00	12.000	30.43	43.43	2.00	10.00	4.30
08BWK2F28	12.700	24.40	12.700	42.00	56.30	1.60	8.50	6.00
08BWK2F29	12.700	25.45	12.700	34.03	45.93	1.50	13.00	6.00
08BWA2F30	12.700	23.30	12.700	30.00	42.00	1.60	8.50	4.30
08BWA2F31	12.700	23.30	14.000	25.40	43.00	1.60	8.90	4.00
08BWA2F34	12.700	23.60	12.700	32.60	44.60	1.60	9.50	4.20
08BWA2F33	12.700	23.30	12.700	27.60	40.80	1.60	8.50	4.30
08BWK2F32	12.700	23.30	12.700	25.40	40.00	1.60	8.90	M5
08B(W)K2F30	12.700	23.30	12.700	28.18	37.18	1.60	8.40	4.30
08BF30WK2	12.700	23.00	12.700	42.00	52.30	1.60	6.50	5.15

*Straight side plates


Short pitch conveyor chain attachments



Donghua Chain No.	P	G	L	F	W	T	h4	d4
	mm	mm	mm	mm	mm	mm	mm	mm
428HWK1	12.700	23.30	-	38.00	56.40	2.42	11.00	5.50
10AWK1F1	15.875	28.80	-	31.75	46.00	2.03	10.30	8.20
10AWK1F2	15.875	30.00	-	31.75	46.00	2.03	10.30	5.20
10BWA2F2	15.875	28.36	15.760	30.40	39.80	1.60	10.50	5.20
10BWK2F2	15.875	28.36	15.760	30.40	39.80	1.60	10.50	5.20
10BWK2F3	15.875	29.90	15.880	31.59	45.59	1.60	10.50	5.30
10BWK2F4	15.875	29.58	15.880	31.71	48.41	1.70	10.31	5.30
12AWA2F1	19.050	34.65	19.050	38.10	56.40	2.42	11.91	6.35
12AWK2F5	19.050	34.65	14.300	38.10	54.32	2.42	11.90	6.00
12AWA1F6	19.050	34.65	-	44.00	62.00	2.42	11.90	10.50
12AWA1F5	19.050	34.65	-	38.10	54.40	2.42	11.90	7.00
12AHWK2F1	19.050	34.65	19.050	40.60	59.00	3.25	11.90	5.50
12BWK0F1	19.050	30.00	-	-	55.30	3.00	14.00	5.50
12BWA1F2	19.050	34.05	-	38.10	26.20	1.85	13.46	-
12BWA2F2	19.050	34.90	19.000	35.00	50.60	1.85	12.00	6.20
12BWA2F3	19.050	30.00	20.000	37.40	53.00	1.85	12.00	6.10
12BWA2F5	19.050	30.00	20.000	39.60	55.30	1.85	14.00	M6
12BWA2F6	19.050	30.00	20.000	38.60	57.00	1.85	13.46	6.20
12BWK1F1	19.050	34.05	-	38.10	52.40	1.85	13.46	8.50
12BWK1F11	19.050	34.65	-	35.00	56.40	1.85	11.90	6.20
12BWK1F12	19.050	34.05	-	35.00	52.40	1.85	13.46	M6
12BWK2F7	19.050	34.90	19.000	35.00	55.40	1.85	12.20	6.40
12BWK2F8	19.050	35.60	19.050	38.10	52.40	1.85	13.50	6.60
12BWK2F9	19.050	34.90	19.000	35.00	62.40	1.85	12.20	6.20
12BWA2F10	19.050	34.05	19.050	38.90	56.90	1.85	13.46	7.00
12BWA2F11	19.050	32.00	19.050	38.10	56.40	1.85	11.90	5.50
*C12BWK2F12	19.050	35.00	19.050	37.20	58.00	1.85	11.00	6.60
12BWA2F17	19.050	37.00	19.050	38.08	52.38	1.85	13.46	6.40
12BF42WK2	19.050	34.90	19.000	35.20	54.60	1.85	12.20	6.40
16AWK1F1	25.400	45.90	-	50.80	73.20	3.25	15.90	8.00
16AWK1F2	25.400	45.90	-	50.80	73.20	3.25	15.90	12.00

*Straight side plates


Short pitch conveyor chain attachments



Donghua Chain No.	P	G	L	F	W	T	h4	d4
	mm	mm	mm	mm	mm	mm	mm	mm
16AWK1F7	25.40	45.90	-	50.80	73.20	3.25	15.90	9.00
16BWA2F12	25.40	46.40	25.40	50.80	77.80	3.10	15.90	8.20
16BWA2F7	25.40	46.40	25.40	50.80	72.00	4.15	16.00	8.00
16BWK1F	25.40	46.00	-	57.20	78.50	3.10	15.90	8.10
16BWK1F3	25.40	46.40	-	50.80	72.60	3.10	15.88	M6
16BWK1F4	25.40	46.40	-	50.74	72.50	3.10	15.88	8.30
16BWK1F25	25.40	46.40	-	58.62	83.12	3.10	17.50	M6
16BWK1F26	25.40	45.50	-	70.00	90.00	3.10	15.00	11.40
16BWK1F27	25.40	46.00	-	57.20	78.50	4.15	15.90	6.50
16BWA1F28	25.40	36.00	-	57.58	77.58	3.10	16.00	M8
16BWK2F1	25.40	48.00	25.40	58.00	75.90	3.10	18.00	9.00
16BWK2F3	25.40	46.40	25.40	58.08	72.60	3.10	15.88	8.20
16BWK2F5	25.40	46.00	25.40	53.58	77.58	3.00	16.30	8.20
16BWK2F6	25.40	49.00	25.40	50.20	72.60	4.00	19.00	8.20
16BWK2F8	25.40	46.40	25.40	50.80	79.40	4.15	15.88	6.60
16BWK2F10	25.40	46.40	25.40	52.00	72.60	3.10	15.88	6.40
16BWK2F13	25.40	47.00	25.40	58.00	75.60	4.15	18.00	9.00
16BWA2F21	25.40	45.50	25.00	54.80	83.80	3.10	16.00	M6
16BWA2F22	25.40	46.40	25.40	50.80	72.60	3.10	15.88	9.00
16BWK2F23	25.40	46.40	25.40	58.00	84.00	4.15	19.00	8.50
*C16BWK2F24	25.40	46.40	25.40	50.80	72.60	4.15	15.88	8.00
*C20BWK0F1	31.75	57.45	-	-	85.40	3.50	22.80	-
20BWK1F1	31.75	58.15	-	69.00	98.80	3.50	21.00	10.50
20BWK2F1	31.75	58.10	31.75	67.94	100.54	3.50	19.80	9.00
20BWK2F2	31.75	60.00	31.75	68.00	88.00	3.50	23.50	9.60
20BWK2F3	31.75	60.00	31.75	68.00	88.00	3.50	23.60	9.60
24AK2F4	38.10	69.30	38.10	76.20	95.00	4.80	23.00	9.80
28AWK2F1	44.45	82.00	42.00	69.50	99.00	5.60	25.10	10.50
32AWK2F3	50.80	100.00	70.00	100.00	140.00	6.40	31.75	18.00
32BWK2F2	50.80	92.80	40.00	76.39	111.99	6.00	31.00	12.50
32BWA2F3	50.80	92.40	50.80	105.00	147.00	6.00	31.80	12.50

*Straight side plates


Short pitch conveyor chain attachments



Donghua Chain No.	P	G	L	C	F	T	d4
	mm	mm	mm	mm	mm	mm	mm
05BWSA2F1	8.000	14.00	6.000	7.00	13.00	0.80	3.00
*06BWSA2F1	9.525	17.60	9.500	10.10	14.50	1.30	3.30
*06BWSK2F2	9.525	17.25	9.520	9.50	13.50	1.15	3.50
06CWSA2F2	9.525	18.50	9.525	9.60	14.70	1.30	3.30
06CWSA2F1	9.525	17.53	9.530	8.50	14.70	1.30	4.20
08BWSA0F2	12.700	23.30	-	-	18.90	1.60	-
08BWSA1F2	12.700	24.45	-	13.40	18.90	1.60	4.30
08BWSK2F1	12.700	23.30	12.700	13.35	18.90	1.60	6.10
08BWSK2F2	12.700	24.45	12.700	13.40	18.90	1.60	4.30
08BWSK2F3	12.700	24.20	12.700	14.10	19.50	1.55	4.30
08BWSK2F4	12.700	23.30	12.700	14.10	18.50	1.60	4.30
08BWSK2F8	12.700	23.30	12.700	13.35	18.90	1.60	5.00
10AWSA0F6	15.875	30.30	-	-	24.10	2.03	-
10AWSA0F5	15.875	28.90	-	-	19.70	2.03	-
10AWSK2F1	15.875	28.45	15.900	17.30	26.90	2.03	5.00
*C10BWSK0F1	15.875	29.58	-	-	22.95	1.70	-
*C12AWSA1F1	19.050	34.05	-	17.60	25.80	2.42	9.00
12AWSA0F1	19.050	37.05	-	-	24.00	2.42	-
12AWSK1F2	19.050	34.65	-	15.75	33.53	2.42	16.13
12BWSK1F1	19.050	35.20	-	20.58	30.30	1.85	6.35
12BWSK2F2	19.050	34.90	19.000	17.80	25.90	1.85	6.20
12BWSK2F3	19.050	34.90	19.000	17.80	25.90	1.85	5.50
16AWSK1F3	25.400	45.90	-	16.00	34.40	3.25	14.52
16AWSK1F4	25.400	45.90	-	16.00	34.40	3.25	15.56
16AWSK1F5	25.400	45.90	-	16.00	34.40	3.25	17.15
*C16BWSK0F6	25.400	25.00	-	-	25.00	3.10	-
16BWSA2F6	25.400	49.00	25.400	25.50	37.60	4.00	8.20
16BWSK1F8	25.400	46.40	-	25.00	37.00	3.10	8.20
16BWSK2F5	25.400	46.00	25.400	25.40	37.50	3.00	8.20
16BWSK2F8	25.400	47.00	25.400	31.10	39.70	4.15	9.00
16BWSK2F9	25.400	47.00	25.400	31.10	39.70	4.15	9.00
16BWSK2F10	25.400	46.50	25.400	28.60	41.50	3.10	9.00
16BF95	25.400	46.40	25.400	27.50	40.00	3.10	8.28
20AWSK1F1	31.750	70.00	-	45.00	70.00	4.00	50.00
20AWSK1F2	31.750	57.65	-	31.80	44.00	4.00	16.00
20AWSK1F3	31.750	57.65	-	31.80	34.98	4.00	16.00
20BWSK2F2	31.750	58.10	31.750	35.00	50.00	3.50	9.00
24BWSK2F1	38.100	71.30	38.100	45.00	55.60	4.80	10.50
32AF5	50.800	93.00	50.800	38.10	56.65	6.40	13.50
16AWSK1F6	25.400	45.90	-	16.00	34.40	3.25	16.00
16AWSK2F1	25.400	45.90	19.100	24.60	35.45	3.25	9.00

*Straight side plates


Short pitch conveyor chain attachments



DIN/ISO Chain No.	ANSI Chain No.	P	G	F	W	T	h4	d4
		mm	mm	mm	mm	mm	mm	mm
08A	40	12.700	9.5	25.40	35.2	1.50	7.90	3.4
10A	50	15.875	12.7	31.75	46.2	2.03	10.30	5.5
12A	60	19.050	15.9	38.10	55.6	2.42	11.90	5.5
16A	80	25.400	19.1	50.80	64.8	3.25	15.90	6.8
20A	100	31.750	25.4	63.50	87.3	4.00	19.80	9.2
24A	120	38.100	28.6	76.20	108.5	4.80	23.00	9.8
*06B		9.525	8.0	19.04	27.0	1.30	6.50	3.5
08B		12.700	9.5	25.40	36.4	1.60	8.90	4.5
10B		15.875	14.3	31.75	44.6	1.70	10.31	5.3
12B		19.050	16.0	38.10	52.4	1.85	13.46	6.4
16B		25.400	19.1	50.80	72.6	3.10	15.88	6.4
20B		31.750	35.0	63.50	100.5	3.50	19.80	9.0
24B		38.100	30.0	76.20	108.4	4.80	26.67	10.5

*Straight side plates

Short pitch conveyor chain attachments



DIN/ISO Chain No.	ANSI Chain No.	P	G	C	F	T	d4
		mm	mm	mm	mm	mm	mm
08A	40	12.700	9.5	12.70	19.05	1.50	3.4
10A	50	15.875	12.7	15.90	25.25	2.03	5.5
12A	60	19.050	15.9	18.30	29.33	2.42	5.5
16A	80	25.400	19.1	24.60	34.70	3.25	6.8
20A	100	31.750	25.4	31.80	43.30	4.00	9.2
24A	120	38.100	28.6	73.00	103.20	4.80	9.8
*06B		9.525	8.0	9.52	13.50	1.30	3.5
08B		12.700	9.5	13.35	18.90	1.60	4.3
10B		15.875	14.3	16.50	22.95	1.70	5.3
12B		19.050	16.0	21.45	28.60	1.85	6.4
16B		25.400	19.1	23.15	34.00	3.10	6.4
20B		31.750	35.0	30.50	45.70	3.50	9.0
24B		38.100	36.0	85.40	123.0	4.80	10.5

*Straight side plates